

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	3	"6142609".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 18:05
S2	5	("3610811" "4942408" "5297007" "5363280" "5604522").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/23 18:09
S3	15718	(print\$3 with circuit with board) and (contact\$1 terminal\$1) and wire\$1 and insulat\$3 and (hole\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 18:12
S4	1185	S3 and (inkjet (print\$3 with head) printhead)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 18:12
S5	343	S4 and conductive and (stagger\$3 overlap\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 18:13
S6	1	S5 and (brazing with material)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 18:17
S7	996	347/50	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 18:17
S8	542	347/50.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 18:49

S9	300	347/58.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/23 19:07
S10	13	347/50,58.ccls. and S5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 06:40
S11	821	347/68-72.ccls. and electrode\$1 and (hole\$1 "through-holes")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 06:41
S12	59	S11 and ("fcb" (flexible with circuit with board))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 06:50
S13	133	S11 and ("fcb" "fpc" (flexible with circuit with board))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 08:50
S14	2042	"347"/\$.ccls. and ("fcb" "fpc" (flexible with circuit with board) (flexible with print\$3 with circuit))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 09:15
S15	883	S14 and (terminal\$1 contact\$1 node\$1) and conduct\$4 and hole\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 09:17
S16	484	S15 and channel\$1 and chamber\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 08:55

S17	51484	("fcb" "fpc" (flex\$5 with circuit with board) (flex\$5 with print\$3 with circuit))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/25 08:41
S18	5592	S17 and ((print\$3 with head) printhead)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 09:17
S19	1097	S18 and inkjet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 09:17
S20	502	S19 and (terminal\$1 contact\$1 node\$1) and conduct\$4 and hole\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 09:18
S21	51	((("fcb" "fpc" (flex\$5 with circuit with board) (flex\$5 with print\$3 with circuit)) near hole\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 12:14
S22	2120	((("fcb" "fpc" "PCB" (flex\$5 with circuit with board) (flex\$5 with print\$3 with circuit)) near hole\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/09 09:49
S23	1291	S22 and (terminal\$1 contact\$1 electrode\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/09 09:50
S24	1054	S23 and (inkjet print\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/09 09:50

S25	46	S24 and ((inkjet near head) (record\$3 near head) (print\$3 near head))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 12:14
S26	5	("4084443" "4311051" "4365513" "4843877" "6148669").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/09 09:56
S27	22	("4573261" "4668533" "4748453" "4767489" "4824010" "4963882" "4999646" "5207115" "5239312" "5270368" "5356658" "5560534" "5587730" "5590455" "5637426" "5640183" "5790150" "5793392" "5984455" "6000124" "6076910" "6439681").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/09 09:57
S28	463	347/58,59.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 12:14
S29	77	("fcb" "fpc" (flex\$5 with circuit with board) (flex\$5 with print\$3 with circuit)) and S28	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 12:15